

Indiana College Substance Use Survey

2019

Wabash College



**Results of the
Indiana College Substance Use Survey
2019**

Wabash College

Institute for Research on Addictive Behavior
501 N. Morton St., Suite 110
Bloomington, IN 47404
www.iprc.iu.edu

Funded by the Indiana Family and Social Services Administration,
Division of Mental Health and Addiction

TABLE OF CONTENTS

Table of Contents	i
List of Tables	ii
List of Figures.....	iii
Introduction	1
Substance Use	2
Prevalence	2
Location and Type of Alcohol Use	5
Reasons for Alcohol Use	6
Age of First Time Use	7
Consequences of Alcohol Use.....	8
Risk Factors	10
Alcohol Availability	10
Perception of Peer Behaviors and Beliefs.....	12
Mental Health.....	15
Gambling Behavior	17
Characteristics of Survey Participants	21
Frequencies	23

LIST OF TABLES

Table 1. Response Rate, 2019	1
Table 2. Number of Usable Questionnaires, 2019.....	1
Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2019	2
Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2019	2
Table 5. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2019	3
Table 6. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2019 (Range = 0-15)	4
Table 7. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2019	5
Table 8. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2019.....	6
Table 9. Percentage of Students Who Initiated Use of Substance After Starting College, 2019	7
Table 10. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2019	8
Table 11. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2019.....	9
Table 12. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else’s Drinking, by Select Demographic Characteristics, 2019	9
Table 13. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2019.....	12
Table 14. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2019 (range = 0 – 30)	12
Table 15. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2019.....	14
Table 16. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2019.....	14
Table 17. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2019 (range = 0 – 30)	15
Table 18. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2019.....	16
Table 19. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2019	17
Table 20. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, by Select Demographic Characteristics, 2019.....	20
Table 21. Demographic Characteristics of Survey Participants, 2019	21

LIST OF FIGURES

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, 2019.....	3
Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, 2019	4
Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2019	5
Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2019	10
Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, 2019.....	11
Figure 6. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, 2019 (range = 0 – 30)	13
Figure 7. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, 2019.....	15
Figure 8. Percentage of Students Who Reported Any Gambling Behaviors or Gambling Consequences in the Past Year, 2019.....	17
Figure 9. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2019.....	18
Figure 10. Percentage of Students Who Gambled in the Past Year, Who Reported Select Reasons as Their Most Common Reason for Gambling, 2019.....	19

INTRODUCTION

The Indiana College Substance Use Survey was administered in Spring 2019. A total of 856 Wabash College students were sent an e-mail inviting them to participate in the survey. Students were given a two-week period to complete the online questionnaire. A reminder e-mail was sent midway through the survey period. 163 students responded to the survey, for a response rate of 19.0%. A description of the history and methodology of the Indiana College Substance Use Survey can be found in the *Results of the Indiana College Substance Use Survey, 2019* at <http://drugs.indiana.edu/indiana-college-survey/substance-use-survey>.

Table 1. Response Rate, 2019

Number of students invited to participate	Number of respondents	Response Rate
856	163	19.0%

Three criteria were used to clean the data. Surveys were discarded if any of the following conditions were met:

- insufficient response (less than 26 items answered out of a total of 148 items),
- three or more inconsistent responses among substance use items, and
- pharmacologically-implausible patterns of responses (i.e., a combination of drugs and frequencies of use whose cumulative effect would be lethal).

Table 2. Number of Usable Questionnaires, 2019

	Frequency	Percent
Too few items answered	4	2.5
Total Number of Usable Surveys	159	97.5
Total	163	100.0

SUBSTANCE USE

PREVALENCE

Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2019

Substance	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Alcohol	70.3	60.6	68.0	73.8
Marijuana	30.2	19.7	31.6	27.9
Cigarettes	20.8	10.4	26.5	11.5
Electronic vaping devices	40.9	23.9	44.9	34.4
Cigars	8.9	5.3	12.4	3.3
Smoking tobacco with hookah/water pipe	3.2	4.5	4.2	1.6
Chewing/smokeless tobacco	9.0	3.1	10.4	6.7
Prescription stimulants not prescribed to you	6.3	3.5	7.1	4.9
Prescription painkillers not prescribed to you	1.9	1.2	3.1	0.0
Prescription sedatives not prescribed to you	1.3	1.3	1.0	1.6
Hallucinogens	3.8	2.6	4.1	3.3
Cocaine	2.5	1.6	4.1	0.0
Inhalants	1.3	0.6	2.1	0.0
Heroin	0.6	0.1	1.0	0.0
Methamphetamine	0.6	0.2	1.0	0.0
Other illegal drugs	1.3	0.5	2.0	0.0

Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2019

Substance	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Nicotine	87.8	72.4	86.6	90.3
Flavoring Only	43.2	50.8	42.2	45.2
THC	59.4	46.6	58.5	61.3
Alcohol	3.2	3.2	4.7	0.0
Other	4.4	5.7	3.3	6.9

Note. Out of students who reported ever using electronic vapor products (n = 98).

Binge drinking was defined in the Indiana College Substance Use Survey as four or more drinks in a row for females and five or more drinks in a row for males. This gender-specific standard follows the definition established by the National Institute on Alcohol Abuse and Alcoholism.

Table 5. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2019

All Students		Age	
Wabash	Indiana	Under 21	21 or older
40.7	31.9	37.8	45.0

Note. Binge drinking was defined as consuming 4 or more drinks in a row for females and 5 or more drinks in a row for males.

Figure 1. Percentage of Students Who Binge Drink Select Number of Times in the Past Two Weeks, 2019





Table 6. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2019 (Range = 0-15)

	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Mean	4.2	3.5	4.3	4.1
Standard Deviation	2.9	2.6	3.2	2.4

Note. Out of students who reported ever drinking alcohol (n = 138).


Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, 2019



Note. Out of students who reported ever drinking alcohol (n = 138).

LOCATION AND TYPE OF ALCOHOL USE

Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2019



Note. Out of students who reported ever drinking alcohol (n = 138). Responses of drinking alcohol at select location “sometimes,” “often,” or “always” are included.

Table 7. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2019

Type	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Liquor	60.6	61.1	56.2	66.7
Beer	71.7	44.7	68.0	76.9
Wine	31.8	46.5	21.1	47.2
Malt beverages	20.0	37.5	20.8	18.9
High alcohol drinks	7.1	10.9	5.5	9.4
Other	8.0	9.7	9.7	5.7

Note. Out of students who reported ever drinking alcohol (n = 138). Responses of drinking select type of alcohol “sometimes,” “often,” or “always” are included.

REASONS FOR ALCOHOL USE

Table 8. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2019

Reason	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
To have a good time with friends	90.0	84.7	90.7	89.1
To relax	49.6	55.5	44.6	56.4
To experiment	24.4	27.2	26.3	21.8
Because of boredom	22.3	18.5	21.3	23.6
To get away from my problems	8.5	14.3	9.3	7.3
Because of anger/frustration	8.5	11.1	6.7	10.9
To get through the day	2.3	4.5	1.3	3.7
Because I'm hooked	1.5	2.2	1.3	1.8

Note: Out of students who reported ever drinking alcohol (n = 138).

AGE OF FIRST TIME USE

Table 9. Percentage of Students Who Initiated Use of Substance After Starting College, 2019

	All Students	
	Wabash	Indiana
Alcohol	36.2	34.9
Marijuana	42.7	36.3
Cigarettes	64.1	36.8
E-cigarettes	52.1	48.9
Cigars	35.7	36.5
Hookah	54.8	41.0
Smokeless tobacco	48.7	26.5
Prescription stimulants	60.7	56.8
Prescription painkillers	40.0	33.3
Prescription sedatives	40.0	47.4
Hallucinogens	58.3	59.9
Cocaine	69.2	62.8
Inhalants		44.7
Heroin		28.6
Methamphetamines		35.2
Other		43.3

Note. Out of students who reported ever having used that substance. Only substances where ten or more students indicated use are included in the school rates.

CONSEQUENCES OF ALCOHOL USE

Table 10. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2019

Consequences	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Had a hangover	63.1	54.1	56.0	72.7
Forgot where you were or what you did (blacked out)	35.1	24.2	32.9	38.2
Felt bad or guilty about your drinking	22.1	24.1	25.0	18.2
Did something you later regretted	21.4	22.8	19.7	23.6
Engaged in unprotected sexual intercourse (i.e., without a condom)	19.8	15.2	18.4	21.8
Missed class or an assignment	14.5	11.4	10.5	20.0
Driven a car while under the influence	9.2	8.1	9.2	9.1
Been hurt or injured because of drinking	10.9	9.0	9.2	13.2
Created problems between you and your friends or family members	5.4	9.3	8.0	1.8
Had friends or family members worry or complain about your drinking	11.5	9.6	11.8	10.9
Been in trouble with police, residence hall, or other college authorities	0.8	3.4	1.3	0.0
Gotten into physical fights when drinking	5.3	3.6	7.9	1.8
Gotten into trouble at work or college because of drinking	2.3	2.7	2.6	1.8
Been ticketed	0.8	1.1	1.3	0.0
Been arrested for drunk driving	0.8	0.5	1.3	0.0

Note. Out of students who reported ever drinking alcohol (n = 138).

Table 11. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2019

	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Experienced unwanted sexual activity	1.5	3.9	1.3	1.8
Took advantage of someone sexually	0.8	0.6	1.3	0.0

Note. Out of students who reported ever drinking alcohol (n = 138).


Table 12. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Select Demographic Characteristics, 2019

Consequence	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Had to take care of another student who drank too much	70.9	46.3	67.0	76.7
Had your studying or sleep interrupted	44.6	31.9	37.5	55.0
Had to act as a designated driver for another student because he or she drank	42.6	30.8	46.6	36.7
Found vomit in the halls or other areas of your residence	58.8	21.3	53.4	66.7
Had your belongings or property damaged	25.0	10.8	26.1	23.3

RISK FACTORS


ALCOHOL AVAILABILITY

Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2019



Note. Out of students under 21 who reported ever drinking alcohol (n = 82). Responses of obtaining alcohol from select source “sometimes,” “often,” or “always” are included.

Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, 2019



Note. Out of students under 21 who reported ever drinking alcohol (n = 82).

PERCEPTION OF PEER BEHAVIORS AND BELIEFS

Students were asked to estimate the percentage of students at their school who drank alcohol in the past month.

Table 13. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2019

Perceived percent who use alcohol	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
0%	1.4	1.6	2.3	0.0
5% - 25%	9.5	12.4	13.6	3.3
30% - 50%	21.6	28.9	20.5	23.3
55% - 75%	43.9	39.6	47.7	38.3
80% - 100%	23.6	17.5	15.9	35.0

Note: Response options were increments of 5%.

Students were also asked how many alcoholic drinks they thought the typical student at their school consumed the last time he or she partied/socialized. Students could provide any figure between 0 – 30.

Table 14. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2019 (range = 0 – 30)

	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Mean	5.1	4.3	5.0	5.3
Standard Deviation	2.4	2.3	2.2	2.7

Figure 6. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, 2019 (range = 0 – 30)




Table 15. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2019

Substance	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Having five or more alcoholic drinks in one sitting	25.5	43.2	31.5	16.7
Using marijuana	32.2	46.2	34.8	28.3
Using prescription medication not prescribed to you	80.5	83.9	83.1	76.7

Note: Responses of “Strongly Disapprove” or “Somewhat Disapprove” are included.

Table 16. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2019

Location	All Students	
	Wabash	Indiana
On-campus housing	18.2	41.6
Off-campus housing	22.7	22.9
On-campus party	21.6	45.1
Off-campus party	35.2	29.1
Athletic event	46.1	48.6
Other places in the community	55.8	43.5

Note: n = 98. Responses of “Very Likely” or “Somewhat Likely” are included.

MENTAL HEALTH


The Indiana College Substance Use Survey asked three questions to assess students' mental health status. Students were asked on how many days in the past month their mental health was not good, including experiencing stress, depression, or problems with emotions. They were also asked if, in the past year, they had experienced feeling so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, and if they had ever seriously considered attempting suicide.

Table 17. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2019 (range = 0 – 30)

	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Mean	6.0	7.8	4.9	7.6
Standard Deviation	8.2	8.6	6.8	9.7

Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Figure 7. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, 2019



Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Table 18. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2019

	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Felt sad or hopeless	22.4	29.9	19.5	26.7
Considered attempting suicide	12.9	11.3	14.9	10.0

Note: Sadness survey question: “During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?”

GAMBLING BEHAVIOR

Table 19. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2019

Gambling Behavior	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Lottery	19.0	22.7	17.2	21.7
Charitable gambling	8.8	10.2	6.9	11.7
Pools	14.3	8.6	14.9	13.3
Card games (not at casino)	10.3	7.4	11.6	8.3
Casino	7.5	8.2	4.6	11.7
Video game loot boxes	8.2	6.6	9.2	6.7
Fantasy sports	14.3	6.0	13.8	15.0
Other sports betting	5.4	4.2	8.0	1.7
Horse tracks	2.7	3.0	3.4	1.7
Online	2.7	2.7	3.4	1.7
Competitive video gaming	2.7	1.9	4.6	0.0
Other	2.9	2.2	5.0	0.0

Figure 8. Percentage of Students Who Reported Any Gambling Behaviors or Gambling Consequences in the Past Year, 2019




Figure 9. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2019





Figure 10. Percentage of Students Who Gambled in the Past Year, Who Reported Select Reasons as Their Most Common Reason for Gambling, 2019



Note: n = 60.

Table 20. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, by Select Demographic Characteristics, 2019

Consequence	All Students		Age	
	Wabash	Indiana	Under 21	21 or older
Felt bad about gambling	3.4	4.9	3.1	3.7
Money issues	8.3	4.0	12.1	3.7
Not sleeping	1.7	2.0	3.1	0.0
Depression	1.7	1.6	3.1	0.0
Family/parent issues	0.0	1.3	0.0	0.0
School problems	0.0	1.1	0.0	0.0
Loss of friendships	1.7	0.8	3.1	0.0
Poor hygiene	0.0	0.7	0.0	0.0

Note: n = 60.

CHARACTERISTICS OF SURVEY PARTICIPANTS

Table 21. Demographic Characteristics of Survey Participants, 2019

	Frequency	%
Gender		
Male	159	100.0
Female	0	0.0
Transgender	0	0.0
Age		
Under 21	98	61.6
21 or older	61	38.4
Race		
White	142	89.3
Black/African American	2	1.3
Asian	7	4.4
Native American/Alaskan Native	0	0.0
Hawaiian/Pacific Islander	0	0.0
More than one race	3	1.9
Other	4	2.5
No answer	1	0.6
Ethnicity		
Hispanic	15	9.4
Non-Hispanic	144	90.6
No answer	0	0.0
Classification		
1st year undergraduate	52	32.7
2nd year undergraduate	35	22.0
3rd year undergraduate	37	23.3
4th year undergraduate	34	21.4
5th year or more undergraduate	0	0.0
Grad/professional	0	0.0
Not seeking degree	0	0.0
Other	0	0.0
No answer	1	0.6

Table 21 continued.

Student status		
Full-time	159	100.0
Part-time	0	0.0
No answer	0	0.0
Location of residence		
Fraternity/sorority house	99	62.3
Campus residence hall	51	32.1
Other on-campus housing	6	3.8
Off-campus	3	1.9
No answer	0	0.0
Greek affiliation		
Yes	99	62.3
No	60	37.7
No answer	0	0.0

FREQUENCIES

Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	29	18.2	18.2	18.2
	19	33	20.8	20.8	39.0
	20	36	22.6	22.6	61.6
	21	37	23.3	23.3	84.9
	22	22	13.8	13.8	98.7
	24	2	1.3	1.3	100.0
	Total	159	100.0	100.0	

Ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Hispanic	15	9.4	9.4	9.4
	Non-Hispanic	144	90.6	90.6	100.0
	Total	159	100.0	100.0	

Race

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White	142	89.3	89.9	89.9
	Black/African-American	2	1.3	1.3	91.1
	Asian	7	4.4	4.4	95.6
	More than one race	3	1.9	1.9	97.5
	Other	4	2.5	2.5	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	159	100.0	100.0	100.0

Sexual orientation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Heterosexual or straight	147	92.5	93.6	93.6
	Homosexual, gay, lesbian, queer	7	4.4	4.5	98.1
	Bisexual	2	1.3	1.3	99.4
	Don't Know/Not Sure/Questioning	1	.6	.6	100.0
	Total	157	98.7	100.0	
Missing	System	2	1.3		
Total		159	100.0		

Student status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time	159	100.0	100.0	100.0

Year in school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1st year undergraduate	52	32.7	32.9	32.9
	2nd year undergraduate	35	22.0	22.2	55.1
	3rd year undergraduate	37	23.3	23.4	78.5
	4th year undergraduate	34	21.4	21.5	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Location of residence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Fraternity or sorority house	99	62.3	62.3	62.3
	Campus residence hall	51	32.1	32.1	94.3
	Other on-campus housing	6	3.8	3.8	98.1
	Off campus	3	1.9	1.9	100.0
	Total	159	100.0	100.0	

Member of fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	99	62.3	62.3	62.3
	No	60	37.7	37.7	100.0
	Total	159	100.0	100.0	

Served on active duty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.6	.6	.6
	No	158	99.4	99.4	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	95	59.7	59.7	59.7
	Have used but not in past 30 days	31	19.5	19.5	79.2
	1-2 occasions	22	13.8	13.8	93.1
	3-5 occasions	3	1.9	1.9	95.0
	6-9 occasions	3	1.9	1.9	96.9
	10-19 occasions	3	1.9	1.9	98.7
	20-39 occasions	1	.6	.6	99.4
	40 or more occasions	1	.6	.6	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	74	46.5	46.8	46.8
	Have used but not in past 30 days	70	44.0	44.3	91.1
	1-2 occasions	9	5.7	5.7	96.8
	3-5 occasions	1	.6	.6	97.5
	6-9 occasions	2	1.3	1.3	98.7
	10-19 occasions	1	.6	.6	99.4
	20-39 occasions	1	.6	.6	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Number of times in the past month substance was used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	116	73.0	74.4	74.4
	Have used but not in past 30 days	26	16.4	16.7	91.0
	1-2 occasions	5	3.1	3.2	94.2
	3-5 occasions	1	.6	.6	94.9
	6-9 occasions	2	1.3	1.3	96.2
	10-19 occasions	2	1.3	1.3	97.4
	20-39 occasions	1	.6	.6	98.1
	40 or more occasions	3	1.9	1.9	100.0
Total		156	98.1	100.0	
Missing	System	3	1.9		
Total		159	100.0		

Number of times in the past month substance was used: Smoking tobacco with hookah/water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	113	71.1	72.0	72.0
	Have used but not in past 30 days	39	24.5	24.8	96.8
	1-2 occasions	4	2.5	2.5	99.4
	20-39 occasions	1	.6	.6	100.0
	Total	157	98.7	100.0	
Missing	System	2	1.3		
Total		159	100.0		

Number of times in the past month substance was used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	61	38.4	38.4	38.4
	Have used but not in past 30 days	33	20.8	20.8	59.1
	1-2 occasions	14	8.8	8.8	67.9
	3-5 occasions	6	3.8	3.8	71.7
	6-9 occasions	2	1.3	1.3	73.0
	10-19 occasions	5	3.1	3.1	76.1
	20-39 occasions	9	5.7	5.7	81.8
	40 or more occasions	29	18.2	18.2	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	20	12.6	12.7	12.7
	Have used but not in past 30 days	27	17.0	17.1	29.7
	1-2 occasions	40	25.2	25.3	55.1
	3-5 occasions	27	17.0	17.1	72.2
	6-9 occasions	27	17.0	17.1	89.2
	10-19 occasions	12	7.5	7.6	96.8
	20-39 occasions	4	2.5	2.5	99.4
	40 or more occasions	1	.6	.6	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Number of times in the past month substance was used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	70	44.0	44.0	44.0
	Have used but not in past 30 days	41	25.8	25.8	69.8
	1-2 occasions	15	9.4	9.4	79.2
	3-5 occasions	10	6.3	6.3	85.5
	6-9 occasions	2	1.3	1.3	86.8
	10-19 occasions	10	6.3	6.3	93.1
	20-39 occasions	3	1.9	1.9	95.0
	40 or more occasions	8	5.0	5.0	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	145	91.2	91.8	91.8
	Have used but not in past 30 days	9	5.7	5.7	97.5
	1-2 occasions	2	1.3	1.3	98.7
	3-5 occasions	1	.6	.6	99.4
	6-9 occasions	1	.6	.6	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Number of times in the past month substance was used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	134	84.3	84.3	84.3
	Have used but not in past 30 days	19	11.9	11.9	96.2
	1-2 occasions	4	2.5	2.5	98.7
	3-5 occasions	2	1.3	1.3	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	157	98.7	99.4	99.4
	1-2 occasions	1	.6	.6	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Number of times in the past month substance was used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	158	99.4	99.4	99.4
	1-2 occasions	1	.6	.6	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	156	98.1	98.7	98.7
	1-2 occasions	2	1.3	1.3	100.0
	Total	158	99.4	100.0	
Missing	System	1	.6		
Total		159	100.0		

Number of times in the past month substance was used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	131	82.4	82.4	82.4
	Have used but not in past 30 days	18	11.3	11.3	93.7
	1-2 occasions	6	3.8	3.8	97.5
	3-5 occasions	3	1.9	1.9	99.4
	10-19 occasions	1	.6	.6	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	149	93.7	93.7	93.7
	Have used but not in past 30 days	7	4.4	4.4	98.1
	1-2 occasions	2	1.3	1.3	99.4
	3-5 occasions	1	.6	.6	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	149	93.7	93.7	93.7
	Have used but not in past 30 days	8	5.0	5.0	98.7
	1-2 occasions	1	.6	.6	99.4
	3-5 occasions	1	.6	.6	100.0
	Total	159	100.0	100.0	

Number of times in the past month substance was used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	153	96.2	96.2	96.2
	Have used but not in past 30 days	4	2.5	2.5	98.7
	1-2 occasions	2	1.3	1.3	100.0
	Total	159	100.0	100.0	

Used electronic vapor product for nicotine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	86	54.1	87.8	87.8
	No	12	7.5	12.2	100.0
	Total	98	61.6	100.0	
Missing	System	61	38.4		
	Total	159	100.0		

Used electronic vapor product for THC

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	57	35.8	59.4	59.4
	No	39	24.5	40.6	100.0
	Total	96	60.4	100.0	
Missing	System	63	39.6		
	Total	159	100.0		

Used electronic vapor product for alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	1.9	3.2	3.2
	No	92	57.9	96.8	100.0
	Total	95	59.7	100.0	
Missing	System	64	40.3		
Total		159	100.0		

Used electronic vapor product for flavoring only

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	41	25.8	43.2	43.2
	No	54	34.0	56.8	100.0
	Total	95	59.7	100.0	
Missing	System	64	40.3		
Total		159	100.0		

Used electronic vapor product for other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	2.5	4.4	4.4
	No	86	54.1	95.6	100.0
	Total	90	56.6	100.0	
Missing	System	69	43.4		
Total		159	100.0		

Age when first used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	23	14.5	35.9	35.9
	After starting college	41	25.8	64.1	100.0
	Total	64	40.3	100.0	
Missing	System	95	59.7		
Total		159	100.0		

Age when first used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	54	34.0	64.3	64.3
	After starting college	30	18.9	35.7	100.0
	Total	84	52.8	100.0	
Missing	System	75	47.2		
Total		159	100.0		

Age when first used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	20	12.6	51.3	51.3
	After starting college	19	11.9	48.7	100.0
	Total	39	24.5	100.0	
Missing	System	120	75.5		
Total		159	100.0		

Age when first used: Smoking tobacco with hookah or water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	19	11.9	45.2	45.2
	After starting college	23	14.5	54.8	100.0
	Total	42	26.4	100.0	
Missing	System	117	73.6		
Total		159	100.0		

Age when first used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	46	28.9	47.9	47.9
	After starting college	50	31.4	52.1	100.0
	Total	96	60.4	100.0	
Missing	System	63	39.6		
Total		159	100.0		

Age when first used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	89	56.0	64.0	64.0
	After starting college	50	31.4	36.0	100.0
	Total	139	87.4	100.0	
Missing	System	20	12.6		
Total		159	100.0		

Age when first used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	51	32.1	57.3	57.3
	After starting college	38	23.9	42.7	100.0
	Total	89	56.0	100.0	
Missing	System	70	44.0		
Total		159	100.0		

Age when first used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	4	2.5	30.8	30.8
	After starting college	9	5.7	69.2	100.0
	Total	13	8.2	100.0	
Missing	System	146	91.8		
Total		159	100.0		

Age when first used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	10	6.3	41.7	41.7
	After starting college	14	8.8	58.3	100.0
	Total	24	15.1	100.0	
Missing	System	135	84.9		
Total		159	100.0		

Age when first used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1	.6	100.0	100.0
Missing	System	158	99.4		
Total		159	100.0		

Age when first used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1	.6	100.0	100.0
Missing	System	158	99.4		
Total		159	100.0		

Age when first used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	1	.6	50.0	50.0
	After starting college	1	.6	50.0	100.0
	Total	2	1.3	100.0	
Missing	System	157	98.7		
Total		159	100.0		

Age when first used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	11	6.9	39.3	39.3
	After starting college	17	10.7	60.7	100.0
	Total	28	17.6	100.0	
Missing	System	131	82.4		
Total		159	100.0		

Age when first used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	6	3.8	60.0	60.0
	After starting college	4	2.5	40.0	100.0
	Total	10	6.3	100.0	
Missing	System	149	93.7		
Total		159	100.0		

Age when first used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	6	3.8	60.0	60.0
	After starting college	4	2.5	40.0	100.0
	Total	10	6.3	100.0	
Missing	System	149	93.7		
Total		159	100.0		

Age when first used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	3	1.9	50.0	50.0
	After starting college	3	1.9	50.0	100.0
	Total	6	3.8	100.0	
Missing	System	153	96.2		
Total		159	100.0		

Number of times student binge drank during the last two weeks - out of students who drank alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	42	26.4	40.8	40.8
	1	29	18.2	28.2	68.9
	2	15	9.4	14.6	83.5
	3	9	5.7	8.7	92.2
	4	5	3.1	4.9	97.1
	5	2	1.3	1.9	99.0
	6	1	.6	1.0	100.0
	Total	103	64.8	100.0	
Missing	System	56	35.2		
Total		159	100.0		

How many drinks do you typically have?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	14	8.8	11.0	11.0
	2	23	14.5	18.1	29.1
	3	31	19.5	24.4	53.5
	4	11	6.9	8.7	62.2
	5	12	7.5	9.4	71.7
	6	16	10.1	12.6	84.3
	7	4	2.5	3.1	87.4
	8	8	5.0	6.3	93.7
	10	5	3.1	3.9	97.6
	15 or more drinks	3	1.9	2.4	100.0
Total		127	79.9	100.0	
Missing	System	32	20.1		
Total		159	100.0		

In the past year, how often did you drink alcohol: Residence hall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	88	55.3	67.7	67.7
	Rarely	13	8.2	10.0	77.7
	Sometimes	15	9.4	11.5	89.2
	Often	12	7.5	9.2	98.5
	Always	2	1.3	1.5	100.0
	Total	130	81.8	100.0	
Missing	System	29	18.2		
Total		159	100.0		

In the past year, how often did you drink alcohol: Fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	21	13.2	16.3	16.3
	Rarely	27	17.0	20.9	37.2
	Sometimes	43	27.0	33.3	70.5
	Often	28	17.6	21.7	92.2
	Always	10	6.3	7.8	100.0
	Total	129	81.1	100.0	
Missing	System	30	18.9		
Total		159	100.0		

In the past year, how often did you drink alcohol: Other on-campus location

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	74	46.5	56.5	56.5
	Rarely	30	18.9	22.9	79.4
	Sometimes	18	11.3	13.7	93.1
	Often	9	5.7	6.9	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

In the past year, how often did you drink alcohol: Off-campus house or apartment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	84	52.8	65.6	65.6
	Rarely	22	13.8	17.2	82.8
	Sometimes	13	8.2	10.2	93.0
	Often	8	5.0	6.3	99.2
	Always	1	.6	.8	100.0
	Total		128	80.5	100.0
Missing	System	31	19.5		
Total		159	100.0		

In the past year, how often did you drink alcohol: Bar/restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	68	42.8	52.3	52.3
	Rarely	17	10.7	13.1	65.4
	Sometimes	36	22.6	27.7	93.1
	Often	8	5.0	6.2	99.2
	Always	1	.6	.8	100.0
	Total		130	81.8	100.0
Missing	System	29	18.2		
Total		159	100.0		

In the past year, how often did you drink alcohol: Sporting/athletic event

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	82	51.6	63.1	63.1
	Rarely	15	9.4	11.5	74.6
	Sometimes	30	18.9	23.1	97.7
	Often	3	1.9	2.3	100.0
	Total		130	81.8	100.0
Missing	System	29	18.2		
Total		159	100.0		

In the past year, how often did you drink alcohol: In a car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	117	73.6	90.0	90.0
	Rarely	9	5.7	6.9	96.9
	Sometimes	4	2.5	3.1	100.0
	Total	130	81.8	100.0	
Missing	System	29	18.2		
Total		159	100.0		

In the past year, how often did you drink alcohol: Other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	112	70.4	87.5	87.5
	Rarely	4	2.5	3.1	90.6
	Sometimes	11	6.9	8.6	99.2
	Often	1	.6	.8	100.0
	Total	128	80.5	100.0	
Missing	System	31	19.5		
Total		159	100.0		

Reasons for drinking in the past year: To experiment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	32	20.1	24.2	24.2
	No	96	60.4	72.7	97.0
	Unsure	4	2.5	3.0	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Reasons for drinking in the past year: Because I am hooked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2	1.3	1.5	1.5
	No	128	80.5	97.7	99.2
	Unsure	1	.6	.8	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Reasons for drinking in the past year: To relax or relieve tension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	64	40.3	49.2	49.2
	No	64	40.3	49.2	98.5
	Unsure	2	1.3	1.5	100.0
	Total	130	81.8	100.0	
Missing	System	29	18.2		
Total		159	100.0		

Reasons for drinking in the past year: To have a good time with friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	117	73.6	89.3	89.3
	No	12	7.5	9.2	98.5
	Unsure	2	1.3	1.5	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Reasons for drinking in the past year: Because of boredom

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	29	18.2	22.1	22.1
	No	101	63.5	77.1	99.2
	Unsure	1	.6	.8	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Reasons for drinking in the past year: Because of anger or frustration

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	11	6.9	8.4	8.4
	No	118	74.2	90.1	98.5
	Unsure	2	1.3	1.5	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Reasons for drinking in the past year: To get through the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	1.9	2.3	2.3
	No	127	79.9	97.7	100.0
	Total	130	81.8	100.0	
Missing	System	29	18.2		
Total		159	100.0		

Reasons for drinking in the past year: To get away from my problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	11	6.9	8.4	8.4
	No	118	74.2	90.1	98.5
	Unsure	2	1.3	1.5	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Consequences of alcohol use in the past year: Friends or family members worried or complained about your drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	117	73.6	88.6	88.6
	Once	9	5.7	6.8	95.5
	Twice	3	1.9	2.3	97.7
	3-5 times	3	1.9	2.3	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Had a hangover

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	49	30.8	37.4	37.4
	Once	27	17.0	20.6	58.0
	Twice	16	10.1	12.2	70.2
	3-5 times	17	10.7	13.0	83.2
	6-9 times	13	8.2	9.9	93.1
	10+ times	9	5.7	6.9	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Consequences of alcohol use in the past year: Felt bad/guilty about your drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	103	64.8	78.0	78.0
	Once	11	6.9	8.3	86.4
	Twice	10	6.3	7.6	93.9
	3-5 times	5	3.1	3.8	97.7
	6-9 times	1	.6	.8	98.5
	10+ times	2	1.3	1.5	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Created problems between you and your friends or family members

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	124	78.0	94.7	94.7
	Once	4	2.5	3.1	97.7
	Twice	1	.6	.8	98.5
	3-5 times	2	1.3	1.5	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Consequences of alcohol use in the past year: Gotten into trouble at work or school because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	129	81.1	97.7	97.7
	Once	2	1.3	1.5	99.2
	Twice	1	.6	.8	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Been hurt or injured because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	116	73.0	89.2	89.2
	Once	8	5.0	6.2	95.4
	Twice	6	3.8	4.6	100.0
	Total	130	81.8	100.0	
Missing	System	29	18.2		
Total		159	100.0		

Consequences of alcohol use in the past year: Been ticketed or arrested because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	130	81.8	99.2	99.2
	Once	1	.6	.8	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Consequences of alcohol use in the past year: Been arrested for drunk driving

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	131	82.4	99.2	99.2
	Once	1	.6	.8	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Driven a car while under the influence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	120	75.5	90.9	90.9
	Once	10	6.3	7.6	98.5
	3-5 times	2	1.3	1.5	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Gotten into physical fights when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	125	78.6	94.7	94.7
	Once	6	3.8	4.5	99.2
	3-5 times	1	.6	.8	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Engaged in unprotected sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	106	66.7	80.3	80.3
	Once	12	7.5	9.1	89.4
	Twice	5	3.1	3.8	93.2
	3-5 times	3	1.9	2.3	95.5
	6-9 times	2	1.3	1.5	97.0
	10+ times	4	2.5	3.0	100.0
	Total		132	83.0	100.0
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Missed class or assignments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	113	71.1	85.6	85.6
	Once	9	5.7	6.8	92.4
	Twice	8	5.0	6.1	98.5
	10+ times	2	1.3	1.5	100.0
	Total		132	83.0	100.0
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Blacked out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	86	54.1	65.2	65.2
	Once	23	14.5	17.4	82.6
	Twice	7	4.4	5.3	87.9
	3-5 times	10	6.3	7.6	95.5
	6-9 times	5	3.1	3.8	99.2
	10+ times	1	.6	.8	100.0
	Total		132	83.0	100.0
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Did something I later regretted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	104	65.4	78.8	78.8
	Once	18	11.3	13.6	92.4
	Twice	5	3.1	3.8	96.2
	3-5 times	5	3.1	3.8	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Been in trouble with police, etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	131	82.4	99.2	99.2
	Once	1	.6	.8	100.0
	Total	132	83.0	100.0	
Missing	System	27	17.0		
Total		159	100.0		

Consequences of alcohol use in the past year: Experienced unwanted sexual activity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	129	81.1	98.5	98.5
	Once	1	.6	.8	99.2
	Twice	1	.6	.8	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

Consequences of alcohol use in the past year: Took advantage of someone sexually

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	130	81.8	99.2	99.2
	Once	1	.6	.8	100.0
	Total	131	82.4	100.0	
Missing	System	28	17.6		
Total		159	100.0		

How often did you drink beer in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	14	8.8	10.9	10.9
	Rarely	22	13.8	17.2	28.1
	Sometimes	28	17.6	21.9	50.0
	Often	43	27.0	33.6	83.6
	Always	21	13.2	16.4	100.0
	Total	128	80.5	100.0	
Missing	System	31	19.5		
Total		159	100.0		

How often did you drink malt beverages in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	51	32.1	40.5	40.5
	Rarely	49	30.8	38.9	79.4
	Sometimes	17	10.7	13.5	92.9
	Often	9	5.7	7.1	100.0
	Total	126	79.2	100.0	
Missing	System	33	20.8		
Total		159	100.0		

How often did you drink wine in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	39	24.5	30.0	30.0
	Rarely	50	31.4	38.5	68.5
	Sometimes	27	17.0	20.8	89.2
	Often	12	7.5	9.2	98.5
	Always	2	1.3	1.5	100.0
	Total		130	81.8	100.0
Missing	System	29	18.2		
Total		159	100.0		

How often did you drink liquor in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	17	10.7	13.3	13.3
	Rarely	33	20.8	25.8	39.1
	Sometimes	34	21.4	26.6	65.6
	Often	39	24.5	30.5	96.1
	Always	5	3.1	3.9	100.0
	Total		128	80.5	100.0
Missing	System	31	19.5		
Total		159	100.0		

How often did you drink high alcohol drinks in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	90	56.6	70.9	70.9
	Rarely	28	17.6	22.0	92.9
	Sometimes	6	3.8	4.7	97.6
	Often	3	1.9	2.4	100.0
	Total		127	79.9	100.0
Missing	System	32	20.1		
Total		159	100.0		

How often did you drink some other type of alcohol in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	99	62.3	78.6	78.6
	Rarely	17	10.7	13.5	92.1
	Sometimes	10	6.3	7.9	100.0
	Total	126	79.2	100.0	
Missing	System	33	20.8		
Total		159	100.0		

How often do you drink micro-brewed beer?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	56	35.2	49.6	49.6
	Rarely	27	17.0	23.9	73.5
	Sometimes	23	14.5	20.4	93.8
	Often	6	3.8	5.3	99.1
	Always	1	.6	.9	100.0
	Total	113	71.1	100.0	
Missing	System	46	28.9		
Total		159	100.0		

How often do you drink micro-distilled liquor?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	63	39.6	57.8	57.8
	Rarely	35	22.0	32.1	89.9
	Sometimes	7	4.4	6.4	96.3
	Often	4	2.5	3.7	100.0
	Total	109	68.6	100.0	
Missing	System	50	31.4		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol from friends over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	14	8.8	18.4	18.4
	Rarely	22	13.8	28.9	47.4
	Sometimes	16	10.1	21.1	68.4
	Often	15	9.4	19.7	88.2
	Always	9	5.7	11.8	100.0
	Total	76	47.8	100.0	
Missing	System	83	52.2		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol from siblings over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	58	36.5	77.3	77.3
	Rarely	10	6.3	13.3	90.7
	Sometimes	5	3.1	6.7	97.3
	Often	1	.6	1.3	98.7
	Always	1	.6	1.3	100.0
	Total	75	47.2	100.0	
Missing	System	84	52.8		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol from other adults over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	53	33.3	70.7	70.7
	Rarely	13	8.2	17.3	88.0
	Sometimes	5	3.1	6.7	94.7
	Often	2	1.3	2.7	97.3
	Always	2	1.3	2.7	100.0
	Total	75	47.2	100.0	
Missing	System	84	52.8		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol at on-campus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	25	15.7	33.3	33.3
	Rarely	13	8.2	17.3	50.7
	Sometimes	19	11.9	25.3	76.0
	Often	13	8.2	17.3	93.3
	Always	5	3.1	6.7	100.0
	Total	75	47.2	100.0	
Missing	System	84	52.8		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol at fraternity or sorority houses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	19	11.9	25.3	25.3
	Rarely	17	10.7	22.7	48.0
	Sometimes	18	11.3	24.0	72.0
	Often	15	9.4	20.0	92.0
	Always	6	3.8	8.0	100.0
	Total	75	47.2	100.0	
Missing	System	84	52.8		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol at off-campus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	52	32.7	69.3	69.3
	Rarely	9	5.7	12.0	81.3
	Sometimes	8	5.0	10.7	92.0
	Often	2	1.3	2.7	94.7
	Always	4	2.5	5.3	100.0
	Total	75	47.2	100.0	
Missing	System	84	52.8		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol from someone under 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	48	30.2	64.0	64.0
	Rarely	9	5.7	12.0	76.0
	Sometimes	11	6.9	14.7	90.7
	Often	5	3.1	6.7	97.3
	Always	2	1.3	2.7	100.0
	Total	75	47.2	100.0	
Missing	System	84	52.8		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol from parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	55	34.6	72.4	72.4
	Rarely	14	8.8	18.4	90.8
	Sometimes	6	3.8	7.9	98.7
	Often	1	.6	1.3	100.0
	Total	76	47.8	100.0	
Missing	System	83	52.2		
Total		159	100.0		

Students under 21: In the past year, how often have you obtained alcohol some other way

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	56	35.2	75.7	75.7
	Rarely	7	4.4	9.5	85.1
	Sometimes	3	1.9	4.1	89.2
	Often	4	2.5	5.4	94.6
	Always	4	2.5	5.4	100.0
	Total	74	46.5	100.0	
Missing	System	85	53.5		
Total		159	100.0		

Students under 21: Purchased alcohol from retailer in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	9	5.7	11.8	11.8
	No	67	42.1	88.2	100.0
	Total	76	47.8	100.0	
Missing	System	83	52.2		
Total		159	100.0		

Students under 21: Used fake ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	2.5	44.4	44.4
	No	5	3.1	55.6	100.0
	Total	9	5.7	100.0	
Missing	System	150	94.3		
Total		159	100.0		

Students under 21: Used someone elses ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.6	12.5	12.5
	No	7	4.4	87.5	100.0
	Total	8	5.0	100.0	
Missing	System	151	95.0		
Total		159	100.0		

Students under 21: Bought without using ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	2.5	44.4	44.4
	No	5	3.1	55.6	100.0
	Total	9	5.7	100.0	
Missing	System	150	94.3		
Total		159	100.0		

Students under 21: Purchased alcohol at bar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	1.9	37.5	37.5
	1-2 times per year	1	.6	12.5	50.0
	3-5 times	4	2.5	50.0	100.0
	Total	8	5.0	100.0	
Missing	System	151	95.0		
Total		159	100.0		

Students under 21: Purchased alcohol at restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	1.9	37.5	37.5
	1-2 times per year	3	1.9	37.5	75.0
	3-5 times	2	1.3	25.0	100.0
	Total	8	5.0	100.0	
Missing	System	151	95.0		
Total		159	100.0		

Students under 21: Purchased alcohol at grocery store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	3.1	55.6	55.6
	3-5 times	1	.6	11.1	66.7
	6-10 times	1	.6	11.1	77.8
	11 or more times	2	1.3	22.2	100.0
	Total	9	5.7	100.0	
Missing	System	150	94.3		
Total		159	100.0		

Students under 21: Purchased alcohol at discount store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	4	2.5	44.4	44.4
	1-2 times per year	1	.6	11.1	55.6
	6-10 times	2	1.3	22.2	77.8
	11 or more times	2	1.3	22.2	100.0
	Total	9	5.7	100.0	
Missing	System	150	94.3		
Total		159	100.0		

Students under 21: Purchased alcohol at convenience store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	3.1	71.4	71.4
	3-5 times	1	.6	14.3	85.7
	11 or more times	1	.6	14.3	100.0
	Total	7	4.4	100.0	
Missing	System	152	95.6		
Total		159	100.0		

Students under 21: Purchased alcohol at drug store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6	3.8	75.0	75.0
	1-2 times per year	1	.6	12.5	87.5
	3-5 times	1	.6	12.5	100.0
	Total	8	5.0	100.0	
Missing	System	151	95.0		
Total		159	100.0		

Students under 21: Purchased alcohol at liquor store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	3.1	62.5	62.5
	6-10 times	2	1.3	25.0	87.5
	11 or more times	1	.6	12.5	100.0
	Total	8	5.0	100.0	
Missing	System	151	95.0		
Total		159	100.0		

Students under 21: Purchased alcohol at winery or micro-brewery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	3.1	62.5	62.5
	1-2 times per year	3	1.9	37.5	100.0
	Total	8	5.0	100.0	
Missing	System	151	95.0		
Total		159	100.0		

Students under 21: Purchased alcohol at other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	6	3.8	85.7	85.7
	3-5 times	1	.6	14.3	100.0
	Total	7	4.4	100.0	
Missing	System	152	95.6		
Total		159	100.0		

Any age: Purchased alcohol online or via phone/mail

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	75	47.2	100.0	100.0
Missing	System	84	52.8		
Total		159	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking
at on-campus housing**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	6	3.8	6.8	6.8
	Somewhat Likely	10	6.3	11.4	18.2
	Somewhat Unlikely	16	10.1	18.2	36.4
	Very Unlikely	46	28.9	52.3	88.6
	Don't Know	10	6.3	11.4	100.0
	Total	88	55.3	100.0	
Missing	System	71	44.7		
Total		159	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking
at off-campus housing**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	4	2.5	4.5	4.5
	Somewhat Likely	16	10.1	18.2	22.7
	Somewhat Unlikely	17	10.7	19.3	42.0
	Very Unlikely	30	18.9	34.1	76.1
	Don't Know	21	13.2	23.9	100.0
	Total	88	55.3	100.0	
Missing	System	71	44.7		
Total		159	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking
at on-campus party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	9	5.7	10.2	10.2
	Somewhat Likely	10	6.3	11.4	21.6
	Somewhat Unlikely	24	15.1	27.3	48.9
	Very Unlikely	35	22.0	39.8	88.6
	Don't Know	10	6.3	11.4	100.0
	Total	88	55.3	100.0	
Missing	System	71	44.7		
Total		159	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	10	6.3	11.4	11.4
	Somewhat Likely	21	13.2	23.9	35.2
	Somewhat Unlikely	18	11.3	20.5	55.7
	Very Unlikely	25	15.7	28.4	84.1
	Don't Know	14	8.8	15.9	100.0
	Total	88	55.3	100.0	
Missing	System	71	44.7		
Total		159	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at athletic event

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	11	6.9	12.4	12.4
	Somewhat Likely	30	18.9	33.7	46.1
	Somewhat Unlikely	16	10.1	18.0	64.0
	Very Unlikely	21	13.2	23.6	87.6
	Don't Know	11	6.9	12.4	100.0
	Total	89	56.0	100.0	
Missing	System	70	44.0		
Total		159	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at other places

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	20	12.6	23.3	23.3
	Somewhat Likely	28	17.6	32.6	55.8
	Somewhat Unlikely	8	5.0	9.3	65.1
	Very Unlikely	14	8.8	16.3	81.4
	Don't Know	16	10.1	18.6	100.0
	Total	86	54.1	100.0	
Missing	System	73	45.9		
Total		159	100.0		

Perceived number of alcoholic drinks consumed by the typical student at the last party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	4	2.5	2.7	2.7
	1	1	.6	.7	3.4
	2	8	5.0	5.4	8.8
	3	22	13.8	14.9	23.6
	4	26	16.4	17.6	41.2
	5	37	23.3	25.0	66.2
	6	20	12.6	13.5	79.7
	7	10	6.3	6.8	86.5
	8	8	5.0	5.4	91.9
	9	2	1.3	1.4	93.2
	10	6	3.8	4.1	97.3
	12	3	1.9	2.0	99.3
	15 or more drinks	1	.6	.7	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

Perceived percent of students at your school who used alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	2	1.3	1.4	1.4
	5%	2	1.3	1.4	2.7
	10%	1	.6	.7	3.4
	15%	2	1.3	1.4	4.7
	20%	5	3.1	3.4	8.1
	25%	4	2.5	2.7	10.8
	30%	6	3.8	4.1	14.9
	35%	4	2.5	2.7	17.6
	40%	8	5.0	5.4	23.0
	45%	2	1.3	1.4	24.3
	50%	12	7.5	8.1	32.4
	55%	2	1.3	1.4	33.8
	60%	18	11.3	12.2	45.9
	65%	13	8.2	8.8	54.7
	70%	15	9.4	10.1	64.9
	75%	17	10.7	11.5	76.4
	80%	18	11.3	12.2	88.5
	85%	8	5.0	5.4	93.9
	90%	5	3.1	3.4	97.3
	95%	2	1.3	1.4	98.6
	100%	2	1.3	1.4	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

Had your belongings or property damaged in the past year because of other students drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	111	69.8	75.0	75.0
	Once	23	14.5	15.5	90.5
	2-3 times	13	8.2	8.8	99.3
	4 or more times	1	.6	.7	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

Had to take care of another student who drank too much in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	43	27.0	29.1	29.1
	Once	40	25.2	27.0	56.1
	2-3 times	49	30.8	33.1	89.2
	4 or more times	16	10.1	10.8	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

Found vomit in the halls or other areas of your residence in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	61	38.4	41.2	41.2
	Once	27	17.0	18.2	59.5
	2-3 times	29	18.2	19.6	79.1
	4 or more times	31	19.5	20.9	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

Had your studying or sleep interrupted because of other students drinking in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	82	51.6	55.4	55.4
	Once	28	17.6	18.9	74.3
	2-3 times	20	12.6	13.5	87.8
	4 or more times	18	11.3	12.2	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

Had to act as a designated driver for another student in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	85	53.5	57.4	57.4
	Once	27	17.0	18.2	75.7
	2-3 times	19	11.9	12.8	88.5
	4 or more times	17	10.7	11.5	100.0
	Total	148	93.1	100.0	
Missing	System	11	6.9		
Total		159	100.0		

How do you think your close friends feel about you having five or more alcoholic drinks in one sitting?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	22	13.8	14.8	14.8
	Somewhat disapprove	16	10.1	10.7	25.5
	Neither approve or disapprove	64	40.3	43.0	68.5
	Somewhat approve	30	18.9	20.1	88.6
	Strongly approve	17	10.7	11.4	100.0
	Total	149	93.7	100.0	
Missing	System	10	6.3		
Total		159	100.0		

How do you think your close friends feel about you using prescription medication not prescribed to you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	81	50.9	54.4	54.4
	Somewhat disapprove	39	24.5	26.2	80.5
	Neither approve or disapprove	26	16.4	17.4	98.0
	Somewhat approve	2	1.3	1.3	99.3
	Strongly approve	1	.6	.7	100.0
	Total	149	93.7	100.0	
Missing	System	10	6.3		
Total		159	100.0		

How do you think your close friends feel about you using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	30	18.9	20.1	20.1
	Somewhat disapprove	18	11.3	12.1	32.2
	Neither approve or disapprove	52	32.7	34.9	67.1
	Somewhat approve	26	16.4	17.4	84.6
	Strongly approve	23	14.5	15.4	100.0
	Total	149	93.7	100.0	
Missing	System	10	6.3		
Total		159	100.0		

Number of days in past month that mental health was not good

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	37	23.3	25.5	25.5
	1	9	5.7	6.2	31.7

Number of days in past month that mental health was not good

	Frequency	Percent	Valid Percent	Cumulative Percent
2	24	15.1	16.6	48.3
3	14	8.8	9.7	57.9
4	6	3.8	4.1	62.1
5	9	5.7	6.2	68.3
6	2	1.3	1.4	69.7
7	7	4.4	4.8	74.5
8	1	.6	.7	75.2
9	2	1.3	1.4	76.6
10	6	3.8	4.1	80.7
12	3	1.9	2.1	82.8
14	2	1.3	1.4	84.1
15	2	1.3	1.4	85.5
17	1	.6	.7	86.2
19	1	.6	.7	86.9
20	4	2.5	2.8	89.7
22	2	1.3	1.4	91.0
23	1	.6	.7	91.7
26	1	.6	.7	92.4
28	1	.6	.7	93.1
29	1	.6	.7	93.8
30	6	3.8	4.1	97.9
Don't know, not sure	3	1.9	2.1	100.0
Total	145	91.2	100.0	
Missing System	14	8.8		
Total	159	100.0		

Felt sad or hopeless in past year

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Yes	33	20.8	22.4	22.4
No	114	71.7	77.6	100.0
Total	147	92.5	100.0	
Missing System	12	7.5		
Total	159	100.0		

Seriously considered attempting suicide in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	19	11.9	12.9	12.9
	No	128	80.5	87.1	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Identify as sober and in recovery from alcohol or drug addiction

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	2.5	2.7	2.7
	No	143	89.9	97.3	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Pools (e.g., March Madness)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	126	79.2	85.7	85.7
	Less than once a month	19	11.9	12.9	98.6
	1-3 times per month	2	1.3	1.4	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Fantasy sports

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	126	79.2	85.7	85.7
	Less than once a month	16	10.1	10.9	96.6
	1-3 times per month	3	1.9	2.0	98.6
	Once a week or more	2	1.3	1.4	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Video game loot boxes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	135	84.9	91.8	91.8
	Less than once a month	10	6.3	6.8	98.6
	1-3 times per month	1	.6	.7	99.3
	Once a week or more	1	.6	.7	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Other sports betting

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	139	87.4	94.6	94.6
	Less than once a month	6	3.8	4.1	98.6
	1-3 times per month	1	.6	.7	99.3
	Once a week or more	1	.6	.7	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Gambled on-line

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	143	89.9	97.3	97.3
	Less than once a month	1	.6	.7	98.0
	1-3 times per month	3	1.9	2.0	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Competetive video gaming

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	143	89.9	97.3	97.3
	Less than once a month	2	1.3	1.4	98.6
	1-3 times per month	2	1.3	1.4	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Horse tracks

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	143	89.9	97.3	97.3
	Less than once a month	3	1.9	2.0	99.3
	1-3 times per month	1	.6	.7	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Card games (not at casino)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	131	82.4	89.7	89.7
	Less than once a month	14	8.8	9.6	99.3
	1-3 times per month	1	.6	.7	100.0
	Total	146	91.8	100.0	
Missing	System	13	8.2		
Total		159	100.0		

Gambling in past year: Lottery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	119	74.8	81.0	81.0
	Less than once a month	22	13.8	15.0	95.9
	1-3 times per month	6	3.8	4.1	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Gambled at a casino

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	136	85.5	92.5	92.5
	Less than once a month	11	6.9	7.5	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Charitable gambling (e.g., bingo)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	134	84.3	91.2	91.2
	Less than once a month	13	8.2	8.8	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Gambling in past year: Other ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	136	85.5	97.1	97.1
	Less than once a month	3	1.9	2.1	99.3
	1-3 times per month	1	.6	.7	100.0
	Total	140	88.1	100.0	
Missing	System	19	11.9		
Total		159	100.0		

Most common reason for gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not gamble	98	61.6	67.1	67.1
	Source of entertainment	22	13.8	15.1	82.2
	Source of excitement or challenge	7	4.4	4.8	87.0
	Way to socialize	9	5.7	6.2	93.2
	Way to get rich	4	2.5	2.7	95.9
	Source of money for paying bills	2	1.3	1.4	97.3
	Source of money to support charities	3	1.9	2.1	99.3
	Hobby	1	.6	.7	100.0
	Total	146	91.8	100.0	
Missing	System	13	8.2		
Total		159	100.0		

Consequences of gambling: Not sleeping

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	143	89.9	98.6	98.6
	Occasionally	2	1.3	1.4	100.0
	Total	145	91.2	100.0	
Missing	System	14	8.8		
Total		159	100.0		

Consequences of gambling: Poor hygiene

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	145	91.2	100.0	100.0
Missing	System	14	8.8		
Total		159	100.0		

Consequences of gambling: Loss of friendships

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	144	90.6	99.3	99.3
	Occasionally	1	.6	.7	100.0
	Total	145	91.2	100.0	
Missing	System	14	8.8		
Total		159	100.0		

Consequences of gambling: Family/parent issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	144	90.6	100.0	100.0
Missing	System	15	9.4		
Total		159	100.0		

Consequences of gambling: School problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	145	91.2	100.0	100.0
Missing	System	14	8.8		
Total		159	100.0		

Consequences of gambling: Money issues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	140	88.1	95.9	95.9
	Occasionally	6	3.8	4.1	100.0
	Total	146	91.8	100.0	
Missing	System	13	8.2		
Total		159	100.0		

Consequences of gambling: Felt bad about gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	143	89.9	98.6	98.6
	Occasionally	2	1.3	1.4	100.0
	Total	145	91.2	100.0	
Missing	System	14	8.8		
Total		159	100.0		

Consequences of gambling: Depression

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	144	90.6	99.3	99.3
	Occasionally	1	.6	.7	100.0
	Total	145	91.2	100.0	
Missing	System	14	8.8		
Total		159	100.0		

How often did you drink during your last year in high school?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	83	52.2	56.5	56.5
	Once a month	34	21.4	23.1	79.6
	More than once a month	25	15.7	17.0	96.6
	Once a week	4	2.5	2.7	99.3
	More than once a week	1	.6	.7	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

In the past year, have you used marijuana for recreational purposes?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	69	43.4	47.3	47.3
	One time	19	11.9	13.0	60.3
	Occasionally	38	23.9	26.0	86.3
	Often	20	12.6	13.7	100.0
	Total	146	91.8	100.0	
Missing	System	13	8.2		
Total		159	100.0		

In the past year, have you used other illegal substances such as ecstasy, cocaine, or opioids?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	131	82.4	89.7	89.7
	One time	8	5.0	5.5	95.2
	Occasionally	6	3.8	4.1	99.3
	Often	1	.6	.7	100.0
	Total	146	91.8	100.0	
Missing	System	13	8.2		
Total		159	100.0		

How often did you smoke marijuana during your last year in high school?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	117	73.6	79.6	79.6
	Once a month	16	10.1	10.9	90.5
	More than once a month	4	2.5	2.7	93.2
	Once a week	4	2.5	2.7	95.9
	More than once a week	6	3.8	4.1	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

In the past year, have you used any legal, prescribed medications (e.g. Adderall) for purposes other than their intended use?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	129	81.1	87.8	87.8
	One time	10	6.3	6.8	94.6
	Occasionally	8	5.0	5.4	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Weekends on campus are a time to 'party'.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	16	10.1	10.9	10.9
	Agree	77	48.4	52.4	63.3
	Unsure	24	15.1	16.3	79.6
	Disagree	24	15.1	16.3	95.9
	Strongly disagree	6	3.8	4.1	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Alcohol is necessary for a fun social life.

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly agree	6	3.8	4.1	4.1
	Agree	18	11.3	12.2	16.3
	Unsure	20	12.6	13.6	29.9
	Disagree	61	38.4	41.5	71.4
	Strongly disagree	42	26.4	28.6	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

How often have you discussed the dangers of alcohol and drug use with your parents?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	15	9.4	10.2	10.2
	One time	20	12.6	13.6	23.8
	Occasionally	84	52.8	57.1	81.0
	Often	28	17.6	19.0	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

What is your primary purpose for using energy drinks (e.g. Monster, Red Bull, 5-hour energy, etc.)?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I never use energy drinks	73	45.9	49.7	49.7
	I use them to help me stay awake, especially to study	56	35.2	38.1	87.8
	I mix them with alcoholic drinks	6	3.8	4.1	91.8
	I use them to help my athletic performance	1	.6	.7	92.5
	I use them, but nto for any of the above reasons	11	6.9	7.5	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

Thinking back to before you came to Wabash, what statement(s) best represents your thoughts and attitudes on drinking?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I almost didn't choose Wabash because I thought that I might be pressured to drink	3	1.9	2.0	2.0
	I chose Wabash because of its responsible environment guided by the Gentleman's Rule	17	10.7	11.6	13.6
	I was sure that I'd be around people who drink, but I was confident in my ability to say no or to do so responsibly	14	8.8	9.5	23.1
	Alcohol or any perceptions of it were not aprt of my college decision	46	28.9	31.3	54.4
	Both B and C	57	35.8	38.8	93.2
	None of these	10	6.3	6.8	100.0
	Total	147	92.5	100.0	
Missing	System	12	7.5		
Total		159	100.0		

age21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 21	98	61.6	61.6	61.6
	21 or older	61	38.4	38.4	100.0
	Total	159	100.0	100.0	

Number of times student binge drank during the last two weeks - out of all students

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	89	56.0	59.3	59.3
	1	29	18.2	19.3	78.7
	2	15	9.4	10.0	88.7
	3	9	5.7	6.0	94.7
	4	5	3.1	3.3	98.0
	5	2	1.3	1.3	99.3
	6	1	.6	.7	100.0
	Total	150	94.3	100.0	
Missing	System	9	5.7		
Total		159	100.0		